


Patons
KNITTING
BOOK
No. 468

No.
468



Page 2



PATONS
AZALEA BEEHIVE 3-PLY
BEEHIVE CREPE DOUBLE QUICK
BEEHIVE 4-PLY

2/-



Scott

ALSO ILLUSTRATED ON FRONT COVER

PATONS BEEHIVE FINGERING, 3-Ply

PATONISED
(SHRINK-RESISTANT)

ALL PURE WOOL

39-40 inch chest—

Light Natural	3 balls
Dark Brown	3 balls
White	2 balls
Medium Brown	2 balls
Dark Natural	1 ball
Gold and Pale Yellow, approx. $\frac{1}{2}$	ball
Red and Light Green, approx. $\frac{1}{4}$	ball

If desiring to have bands machine knitted, extra wool of light natural colour will be required.

Length from top of shoulder, $25\frac{1}{2}$ ins.

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 9 and 12, measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 12.

L.N. = Light Natural; D.N. = Dark Natural; W. = White; M.B. = Medium Brown; D.B. = Dark Brown.


TENSION: To get these measurements it is absolutely necessary to work at a tension to produce $7\frac{1}{2}$ stitches to the inch in width, measured over plain smooth fabric. Check tension—see page 12.

NOTE.—In working this design using two or more colours, we recommend stranding colours by carrying those not in use loosely across back of work. Do

not strand colours over more than 5 stitches. When a loose thread must pass over more than 5 stitches, weave it over and under colour in use at centre point of stitches it passes over.

THE FRONT—Using No. 12 Needles and L.N., cast on 160 stitches.


CHART A



LAST ST. K ROWS 22 ST. REP. ODD ROWS K
FIRST ST. P ROWS EVEN ROWS P

☒ GOLD ☒ RED □ WHITE ☒ MED BROWN
■ DARK BROWN ● LT. GREEN ○ PALE YELLOW

CHART B



LAST ST. K ROWS 22 ST. REP. ODD ROWS P
FIRST ST. P ROWS EVEN ROWS K

1st row.—* K.2, P.2, rep. from * to end of row.

Rep. 1st row forty times.

42nd row.—Rib 7, (inc. once in next st., rib 8) seventeen times (177 sts.).

Using No. 9 Needles, proceed as follows, breaking off and joining in colours as required:—

1st row.—K.1L.N., (K.1W., K.5L.N.) twenty-nine times, K.1W., K.1L.N.

2nd row.—P.2W., (P.1W., P.3L.N., P.2W.) twenty-nine times, P.1W.

3rd row.—K.1W., (K.3W., K.1L.N., K.2W.) twenty-nine times, K.2W.

4th row.—Using W., purl.

5th-15th row incl.—As rows 1-11 Chart A (page 2).

16th row.—As 4th row. **17th row.**—As 3rd row.

18th row.—As 2nd row. **19th row.**—As 1st row.

20th row.—P.1L.N., P.1D.N., (P.5L.N., P.1D.N.) twenty-nine times, P.1L.N.

21st row.—K.1D.N., (K.2D.N., K.3L.N., K.1D.N.) twenty-nine times, K.2D.N.

22nd row.—P.2D.N., (P.2D.N., P.1L.N., P.3D.N.) twenty-nine times, P.1D.N.

23rd row.—K.1D.N., (K.3D.N., K.1M.B., K.2D.N.) twenty-nine times, K.2D.N.

24th row.—P.2D.N., (P.1D.N., P.3M.B., P.2D.N.) twenty-nine times, P.1D.N.

25th row.—K.1M.B., (K.1D.N., K.5M.B.) twenty-nine times, K.1D.N., K.1M.B.

26th row.—P.1M.B., P.1D.B., (P.5M.B., P.1D.B.) twenty-nine times, P.1M.B.

27th row.—K.1D.B., (K.2D.B., K.3M.B., K.1D.B.) twenty-nine times, K.2D.B.

28th row.—P.2D.B., (P.2D.B., P.1M.B., P.3D.B.) twenty-nine times, P.1D.B.

29th row.—Using D.B., knit.

30th-44th row incl.—As rows 1-15 Chart B (page 2).

45th-58th row incl.—As rows 29-16 in backward rotation, viz., 29th row, 28th row, 27th row, 26th row, etc.

Rows 5-58 incl. form Fair Isle patt.

Rep. rows 5-56 incl. **

Next row (as 17th row).—Patt. 88 sts., cast off 1 st. (centre st.), work in patt. to end of row.

Keeping continuity of Fair Isle patt., cast off 10 sts. at beg. of next row.

Cast off 2 sts. at armhole edge in every alt. row nine times, whilst at same time dec. once at neck edge in 3rd row and every following 4th row three times. (56 sts.)

Continue dec. once at neck edge only in every following 4th row until 50 sts. remain, then in every following 3rd row until 37 sts. remain.

Continue in patt. on these sts. until work measures $9\frac{1}{2}$ ins. from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder as follows:—

1st row.—Cast off 12 sts., work in patt. to end of row.

2nd and 4th rows.—Work in patt.

3rd row.—As 1st row.

5th row.—Cast off 13 sts. Fasten off.

Join in wool at centre front and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to **.

Work 1 row.

Cast off 10 sts. at beg. of next 2 rows.

Cast off 2 sts. at beg. of next 18 rows. (121 sts.)

Continue on these sts. without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

Cast off 12 sts. at beg. of next 4 rows, then 13 sts. at beg. of next 2 rows. Cast off remaining sts.

THE NECKBAND—Using a fine back stitch seam sew up right shoulder seam.

With right side of work facing, using No. 12 Needles and L.N. knit up 89 sts. evenly along left side of neck (knitting up last st. from centre front), 88 sts. along right side of neck and 46 sts. across back of neck. (223 sts.)

1st row.—K.2, (P.2, K.2) thirty-three times, P.1, (K.2, P.2) twenty-two times.

Work 10 rows in rib, dec. once at each side of centre point of "V" in every row and keeping centre stitch plain on right side of work. Cast off loosely in rib.

THE ARMHOLE BANDS—Using a flat seam for ribbing and a fine back-stitch seam, sew up left shoulder seam.

With right side of work facing, using No. 12 Needles and L.N., knit up 192 sts. evenly round armhole.

1st row.—* K.2, P.2, rep. from * to end of row.

Rep. 1st row ten times. Cast off loosely in rib.

Work other Armhole Band in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side seams. Finally, press all seams.



Peary

IN THREE SIZES

PATONS BEEHIVE CREPE

or PATONS BEEHIVE FINGERING, 3-Ply

PATONISED (SHRINK-RESISTANT)

ALL PURE WOOL

Size A . . . 34 inch chest . . . 8 balls

Size B . . . 37 inch chest . . . 9 balls

Size C . . . 40 inch chest . . . 9 balls

Length from top of shoulder to lower point—

Size A . . 21½ ins. Size B . . 22½ ins.

Size C . . 22½ ins.

Patons Beehive Knitting Needles or Queen
Bee Knitting Needles, 1 pair No. 10,
measured on a Beehive Needle Gauge.

A Cable Needle.

Patons Crochet Hook No. 11.

Twelve Medium Beutron Buttons.

ABBREVIATIONS: See page 12. "Twist
A" = Slip next stitch on to cable needle
and leave at front of work, P.1, then knit
stitch from cable needle. "Twist B" =
Knit into front of second stitch on left hand
needle but before slipping off purl first
stitch, slip both stitches off needle.

TENSION: To get these measurements it is
absolutely necessary to work at a tension to
produce 8 stitches to the inch in width,
measured over plain smooth fabric. Check
tension—see page 12.

Instructions are for smallest size A. Larger sizes B
and C are shown thus [B—...] [C—...].

THE PATTERN:

**** 1st row.**—K.2, * P.2, K.2, rep. from * to end of
row.

2nd row.—P.2, * K.2, P.2, rep. from * to end of row.
Rep. 1st and 2nd rows once.

5th row.—K.1, * "Twist A", "Twist B", rep. from *
to last st., K.1.

6th row.—P.1, K.1, * P.2, K.2, rep. from * to last
4 sts., P.2, K.1, P.1.

7th row.—K.1, P.1, * K.2, P.2, rep. from * to last
4 sts., K.2, P.1, K.1.

Rep. 6th and 7th rows once, then 6th row once.

11th row.—K.1, * "Twist B", "Twist A", rep. from *
to last st., K.1.

12th row.—As 2nd row. **

THE LEFT FRONT—Cast on 6 [B—6] [C—6]
stitches.

1st row.—K.2, P.2, K.2. **2nd row.**—P.2, K.2, P.2.

Keeping continuity of patt. as given from ** to **,
cast on 4 sts. at beg. of next 26 [B—30] [C—34]
rows. (110 [B—126] [C—142] sts.)

Work 4 rows in patt. without shaping.

***** Next row.**—Patt. 55 [B—63] [C—71] sts., cast
off 2 sts., patt. 45 [B—53] [C—61] sts., cast off
2 sts., patt. 6.

Next row.—Patt. 6, cast on 2 sts., patt. 45 [B—53]
[C—61] sts., cast on 2 sts., work in patt. to end of
row. ***

Work 12 rows without shaping.

Rep. from *** to *** once.

Work 26 rows without shaping. ****

Rep. from *** to *** once.

Rep. from *** to *** once.

Work 12 rows without shaping.

Rep. from *** to *** once.

Work 5 [B—5] [C—3] rows in patt. without shaping.

Cast off 4 [B—7] [C—11] sts. at beg. of next row
and alt. row once.

Next row.—Work in patt. to last 2 sts., K.2 tog.

Work 1 row in patt. without shaping.

Next row.—Cast off 12 [B—16] [C—20] sts., work
in patt. to last 2 sts., K.2 tog.

Keeping continuity of patt., dec. once at each end of
needle in every alt. row twelve times. (64 [B—70]
[C—74] sts.)

Dec. once at neck edge only in every alt. row until 30 [B—32] [C—36] sts. remain.

Shape shoulder as follows:—

1st row.—Work to last 8 [B—8] [C—9] sts., turn.

2nd and alt. rows.—Work to end of row.

3rd row.—Work to last 16 [B—16] [C—18] sts., turn.

5th row.—Work to last 23 [B—24] [C—27] sts., turn.

6th row.—As 2nd row. Cast off.

THE RIGHT FRONT—Work to correspond with Left Front, omitting buttonholes and working shapings at opposite ends of needle.

THE BACK—Cast on 157 [B—173] [C—189] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows fifty-seven [B—fifty-seven] [C—fifty-six] times.

Cast off 12 [B—16] [C—20] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 109 [B—117] [C—125] sts. remain.

Continue in rib without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 8 [B—8] [C—9] sts., turn.

3rd and 4th rows.—Work to last 16 [B—16] [C—18] sts., turn.

5th and 6th rows.—Work to last 23 [B—24] [C—27] sts., turn.

[Continued on page 6]

Shackleton

IN TWO SIZES

PATONS DOUBLE QUICK KNITTING USED DOUBLE

ALL PURE WOOL

Size A .. To fit 39-40 inch chest .. 32 balls

Size B .. To fit 44-45 inch chest .. 36 balls

Length from top of shoulder—

Size A .. 26 ins. Size B .. 26½ ins.

Length of sleeve seam—

Both Sizes .. 20 ins. (or length desired)

Patons Beehive Knitting Needles, 1 pair each (12-inch) Nos. 3 and 6, 1 set of four No. 6, measured on a Beehive Needle Gauge.


One Cable Needle. Four Stitch Holders.

ABBREVIATIONS: See page 12. C.4F. = Cable 4 Front by working across next 8 sts. as follows: Slip next 4 sts. on to cable needle and leave at front of work, knit next 4 sts., then knit 4 sts. from cable needle.

TENSION: To get these measurements it is absolutely necessary to work at a tension, using double wool, to produce 7½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 12.

WASHING: As this design uses a substantial weight of wool, special care in washing and drying is essential if it is to keep its shape. Surplus water should be removed as quickly and thoroughly as possible (a light wringer is permissible); while the garment is wet it should be continually supported and should on no account be hung up to dry.

[Continued on next page]



"SHACKLETON" (continued from page 5)

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE FRONT—Using No. 6 Needles and Double Wool, cast on 80 [B—90] stitches.

Work in K.1, P.1 rib for 4 ins.

Using No. 3 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 15½ [B—16] ins. from commencement, finishing with a purl row.

Proceed as follows:—

1st row.—K.2, K.2 tog. t.b.l., knit to last 4 sts., K.2 tog., K.2.

2nd row.—Purl.

Rep. 1st and 2nd rows four times. (70 [B—80] sts.) **

Proceed in cable patt. yoke as follows:—

*** **1st row.**—(P.1, K.8, P.1) seven [B—eight] times.

2nd row.—Purl.

Rep. 1st and 2nd rows once.

5th row.—(P.1, C.4F., P.1) seven [B—eight] times.

6th row.—Purl.

Rep. 1st and 2nd rows twice. ***

Rep. from *** to *** three times.

Shape shoulders by casting off 8 [B—10] sts. at beg. of next 6 [B—2] rows [B—only, then cast off 9 sts. at beg. of next 4 rows].

Leave remaining 22 [B—24] sts. on a stitch holder.

THE BACK—Work as given for Front to **.

Work 40 rows in plain smooth fabric without shaping.

Shape shoulders by casting off 8 [B—10] sts. at beg. of next 6 [B—2] rows [B—only—then cast off 9 sts. at beg. of next 4 rows]. (22 [B—24] sts.)

Work 3 rows without shaping.

Leave these sts. on a stitch holder.

THE SLEEVES (Both Sizes)—Using No. 6 Needles and Double Wool, cast on 44 stitches.

Work in K.1, P.1 rib for 3½ ins.

Next row.—Rib 5, (inc. once in next st., rib 10) three times, inc. once in next st., rib to end of row. (48 sts.)

Using No. 3 Needles, proceed as follows:—

** **1st row.**—K.18, P.2, K.8, P.2, K.18.

2nd row.—Purl.

Rep. 1st and 2nd rows once.

5th row.—K.18, P.2, C.4F., P.2, K.18.

6th row.—Purl.

7th row.—Inc. once in first st., K.17, P.2, K.8, P.2, K.17, inc. once in last st.

8th row.—Purl.

9th row.—K.19, P.2, K.8, P.2, K.19.

10th row.—Purl. **

Keeping continuity of patt. as given from ** to ** (noting that an inc. has been worked in 7th row), inc.

once at each end of needle in every following 8th row from previous inc. until there are 56 sts. on needle, then in every following 10th row until there are 64 sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing so that right side of work will be facing when working next row.

Proceed as follows:—

1st row.—K.2, K.2 tog. t.b.l., work to last 4 sts., K.2 tog., K.2.

2nd row.—Purl.

Rep. 1st and 2nd rows four times. (54 sts.)

Cast off 4 sts. at beg. of next 8 rows, then 5 sts. at beg. of next 2 rows. (12 sts.) ***

Continue in cable patt. for 34 [B—36] rows.

Cast off 2 sts. (back of sleeve) at beg. of next row.

Leave remaining sts. on a stitch holder.

Work another Sleeve in same manner to ***.

Continue in cable patt. for 33 [B—35] rows.

Cast off 2 sts. (back of sleeve) at beg. of next row.

Leave remaining sts. on a stitch holder.

THE NECKBAND—Using a fine back-stitch seam, sew shoulders of Back and Front to edge of cable band at top of sleeves.

Using a flat seam, sew 3 rows at back of neck to 2 cast-off sts. at back of sleeve.

With right side of work facing, using set of four No. 6 Needles and Double Wool, knit up 64 [B—68] sts. from stitch holders.

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round for 2½ ins. Using a No. 3 Needle cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves placing seams to side seams. Finally, press all seams.

"PEARY" (continued from page 5)

7th and 8th rows.—Work to last 30 [B—32] [C—36] sts., turn.

9th row.—Work to end of row. Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a fine back-stitch seam, sew up shoulder and side seams. With right side of work facing, and using Crochet Hook, work 4 rows of d.c. round outer edge of garment and around armholes, omitting 1 d.c. of previous row each side of point to form mitre for hem and working last d.c. row very loosely. Turn back 4 rows of crochet band to form a hem and sew in position on wrong side of work. Buttonhole round buttonholes. Sew on buttons to correspond with buttonholes. Finally, press all seams and hems.

Amundsen

IN THREE SIZES
WITH OR WITHOUT SLEEVES

PATONS BEEHIVE FINGERING, 4-Ply PATONISED (SHRINK-RESISTANT)

ALL PURE WOOL

Size A. 35-inch chest—

With Sleeves 17 balls
Without Sleeves 11 balls

Size B. 38-inch chest—

With Sleeves 18 balls
Without Sleeves 12 balls

Size C. 41-inch chest—

With Sleeves 21 balls
Without Sleeves 14 balls

If desiring to have bands machine knitted,
extra wool will be required.

Length from top of shoulder—

Size A . . 23½ ins. Size B . . 24½ ins.
Size C . . 26½ ins.

Length of sleeve seam—

All Sizes . . . 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen
Bee Knitting Needles, 1 pair each Nos. 10
and 12, measured on a Beehive Needle
Gauge.

A Cable Needle.

ABBREVIATIONS: See page 12. K.B. = knit into
back of stitch; P.B. = purl into back of stitch; C.4
= work across next 8 sts. as follows: Slip next 4 sts.
on to cable needle and leave at front of work, knit
next 4 sts., then knit 4 sts. from cable needle.

TENSION: To get these measurements it is absolutely
necessary to work at a tension to produce 7½ stitches
to the inch in width, measured over plain smooth
fabric. Check tension—see page 12.

Instructions are for smallest size A. Larger sizes B and
C are shown thus [B—...] [C—...].

THE PULLOVER WITH SLEEVES:

THE FRONT—Using No. 12 Needles, cast on, 162
[B—174] [C—188] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.
Rep. 1st row forty-six times.

48th row.—Rib 4 [B—rib 3] [C—rib 6], * inc. once
in next st., rib 13 [B—rib 13] [C—rib 15], rep. from
* to last 4 [B—3] [C—6] sts., inc. once in next st.,
rib to end of row. (174 [B—187] [C—200] sts.).

Using No. 10 Needles, proceed as follows:—

** 1st row.—K.2, * K.B.1, K.12, rep. from * to last
3 sts., K.B.1, K.2.

2nd and alt. rows.—K.2, * P.B.1, K.2, P.8, K.2, rep.
from * to last 3 sts., P.B.1, K.2.



3rd row.—As 1st row.

5th row.—K.2, * K.B.1, K.2, C.4, K.2, rep. from * to
last 3 sts., K.B.1, K.2.

7th row.—As 1st row.

8th row.—K.2, * P.B.1, K.2, P.8, K.2, rep. from *
to last 3 sts., P.B.1, K.2. **

Continue in patt. as given from ** to ** until work
measures 15 [B—16] [C—17] ins. from commence-
ment, finishing so that right side of work will be facing
when working next row.

Cast off 14 [B—16] [C—18] sts. at beg. of next
2 rows. ***

Next row.—K.2 tog., work 69 [B—74] [C—78] sts.
in patt., K.2 tog., turn.

Continue on these 71 [B—76] [C—80] sts., dec. once
at armhole edge in every alt. row eight times, whilst
at same time dec. once at neck edge in every following
4th row four times. (59 [B—64] [C—68] sts.).

Continue dec. once at neck edge only in every following
4th row until 41 [B—46] [C—48] sts. remain.

Work 4 [B—4] [C—6] rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 10 [B—11] [C—12] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 20 [B—22] [C—24] sts., turn.

5th row.—Work to last 30 [B—34] [C—36] sts., turn.

6th row.—As 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front in size B only.

THE BACK—Work as given for Front to ***.

Dec. once at each end of needle in next and every alt. row until 128 [B—137] [C—146] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 10 [B—11] [C—12] sts., turn.

3rd and 4th rows.—Work to last 20 [B—22] [C—24] sts., turn.

5th and 6th rows.—Work to last 30 [B—34] [C—36] sts., turn.

7th and 8th rows.—Work to last 41 [B—46] [C—48] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 70 [B—70] [C—84] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-eight times.

40th row.—Rib 10 [B—rib 10] [C—rib 6], * inc. once in next st., work 1 [B—work 1] [C—rib 2], rep. from * to last 10 [B—10] [C—6] sts., inc. once in next st., rib to end of row. (96 [B—96] [C—109] sts.)

Using No. 10 Needles, work in patt. as given from ** to ** for Front once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 8th row until there are 128 [B—120] [C—141] sts. on needle [Size B only—then in every following 6th row until there are 134 sts. on needle].

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement.

Cast off 4 [B—5] [C—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 52 [B—56] [C—57] sts. remain, then in every row until 30 [B—30] [C—31] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 85 [B—85] [C—91] sts. evenly along left side of neck (knitting up last st. from centre front), 84 [B—84] [C—90] sts. along right side of neck and 39 [B—39] [C—43] sts. across back of neck. (208 [B—208] [C—224] sts.)

1st row.—* K.1, P.1, rep. from * to end of row.

Work 9 rows in rib, dec. once at each side of centre point of "V" in every row and keeping centre stitch plain on right side of work.

Cast off loosely in rib.

THE PULLOVER WITHOUT SLEEVES:

THE FRONT—Work as given for Pullover with Sleeves until work measures 13½ [B—14½] [C—15½] ins. from commencement, finishing so that right side of work will be facing when working next row.

Cast off 14 [B—16] [C—18] sts. at beg. of next 2 rows.

[Continued on page 12]

Byrd

IN THREE SIZES — ILLUSTRATED OPPOSITE

PATONS DOUBLE QUICK KNITTING

ALL PURE WOOL

Size A . . . 32-33 inch chest . . . 19 balls. Size B . . . 35-36 inch chest . . . 20 balls

Size C . . . 38-39 inch chest . . . 21 balls.

If desiring to have bands machine knitted, extra wool will be required.

Length from top of shoulder—Size A, 23 ins. Size B, 24 ins. Size C, 25½ ins.

Length of sleeve seam—All Sizes 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 8 and 10, 1 set of four No. 10, measured on a Beehive Needle Gauge.

Two Stitch Holders.

ABBREVIATIONS: See page 12.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 12.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...].

THE FRONT—Using No. 10 Needles, cast on 92 [B—102] [C—112] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row until work measures 3 [B—3½] [C—3½] ins., Sizes A and C only, inc. once at beg. of needle in last row [Size B only—inc. once at end of needle in last row].

"BYRD"

See opposite
page

**Patons
Double
Quick**

**Size A,
32-33 inch,
19 balls**

**Size B,
35-36 inch,
20 balls**

**Size C,
38-39 inch,
21 balls**

Using No. 8 Needles, proceed as follows:—

Sizes A and C only:

**** 1st row.**—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—Purl. **

[Size B only: **** 1st row.**
—* P.1, K.1, rep. from * to last st., P.1.

2nd row.—Purl. **].

Rep. from ** to ** until work measures 15 [B—16] [C—16] ins. from commencement, finishing with a purl row.

Cast off 1 [B—2] [C—3] st./s at beg. of next 2 rows.

***** 1st row.**—K.2, P.1, K.2 tog. t.b.l., * K.1, P.1, rep. from * to last 6 sts., K.1, K.2 tog., P.1, K.2.

2nd row.—Purl.

3rd row.—K.2, P.1, K.2 tog. t.b.l., * P.1, K.1, rep. from * to last 6 sts., P.1, K.2 tog., P.1, K.2.

4th row.—As 2nd row. ****

Rep. from *** to **** eleven [B—twelve] [C—thirteen] times. (47 [B—47] [C—47] sts.)

Next row.—K.2, P.1, K.2 tog. t.b.l., patt. to last 30 sts., work 13 sts., leave these 13 sts. on a stitch holder, patt. to last 6 sts., K.1, K.2 tog., P.1, K.2.

Keeping continuity of patt., continue on last group of 16 sts., dec. once at neck edge in 2nd and every following 3rd [B—every alt.] [C—every alt.] row whilst at same time still dec. once at armhole edge in every alt. row until 6 [B—6] [C—6] sts. remain.

Proceed as follows:—

1st and alt. rows.—Purl.

2nd row.—Slip 1, K.2 tog., p.s.s.o., P.1, K.2.

4th row.—Slip 1, K.2 tog., p.s.s.o., K.1.

6th row.—K.2 tog. **7th row.**—P.1. Fasten off.

Join in wool where sts. were left and work on remaining sts. to correspond with other side, reversing shapings.

THE BACK—Work as given for Front to ****.

Rep. from *** to **** until 29 [B—29] [C—29] sts. remain.

Work 1 row without shaping. Leave these sts. on a stitch holder.

THE SLEEVES—Using No. 10 Needles, cast on 50 [B—54] [C—54] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row until work measures 3½ ins., inc. once at end of needle in last row.

Using No. 8 Needles, proceed as follows:—

1st row.—* P.1, K.1, rep. from * to last st., P.1.

2nd row.—Purl.

Keeping continuity of patt., inc. once at each end of needle in 5th [B—3rd] [C—3rd] and every following



6th [B—6th] [C—5th] row until there are 81 [B—87] [C—93] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing with a purl row.

Cast off 1 [B—2] [C—3] st./s at beg. of next 2 rows. Work as given from *** to **** for Front until 9 [B—11] [C—13] sts. remain.

Work 1 row without shaping. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam sew sleeves to front and back, leaving tops of sleeves to form part of neckline.

With right side of work facing and using set of four No. 10 Needles, knit up 100 [B—104] [C—108] sts. evenly round neck (including sts. from stitch holders).

1st round.—* K.1, P.1, rep. from * to end of round. Rep. 1st round thirteen times. Using a No. 8 Needle, cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for K.1, P.1 rib and a fine back-stitch seam for other seams, sew up side and sleeve seams. Fold Neckband in half and stitch in position on wrong side of work. Finally, press all seams.

Wilson

IN TWO SIZES
WITH OR WITHOUT SLEEVES

PATONS

BEEHIVE FINGERING, 3-Ply PATONISED (SHRINK-RESISTANT)

ALL PURE WOOL

Size A. 38 inch chest—

With Sleeves—Dark Chocolate, 9 balls
Copper, 1 ball. Beige, 1 ball
Spun Gold, 1 ball. Light Beige, 1 ball
Without Sleeves—Dark Chocolate, 6 balls
Contrasting Colours as above.

Size B. 40 inch chest—

With Sleeves—Dark Chocolate, 10 balls
Contrasting Colours as above.
Without Sleeves—Dark Chocolate, 6 balls
Contrasting Colours as above.

*If desiring to have bands machine knitted,
extra wool of dark chocolate colour will
be required.*

Length from top of shoulder—

Both Sizes 24 ins.

Length of sleeve seam—

Both Sizes, 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen
Bee Knitting Needles, 1 pair each Nos.
10 and 12, measured on a Beehive
Needle Gauge.

ABBREVIATIONS: See page 12. D.C. = Dark
Chocolate, C. = Copper, B. = Beige, S.G. = Spun
Gold, L.B. = Light Beige.

TENSION: To get these measurements it is absolutely
necessary to work at a tension to produce 8 stitches
to the inch in width, measured over plain smooth
fabric. Check tension—see page 12.

Instructions are for smaller size A. Larger size B is
shown thus [B—...].

N.B.—Twist wools loosely at back of work when chang-
ing colour to avoid a hole.

Sleeveless shapings indicated by dotted line on chart,
long-sleeved shapings by plain lines.


THE PULLOVER WITH SLEEVES—Begin by wind-
ing 8 [B—8] balls of C. and 7 [B—9] balls of D.C.
to start patt.

THE FRONT—Using No. 12 Needles and D.C., cast
on 148 [B—154] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.
Rep. 1st row until work measures 4 ins. from com-
mencement, finishing with an odd row.

Next row.—Rib 2 [B—rib 2], (inc. once in next st.,
rib 23 [B—rib 14]) six [B—ten] times, inc. once in
next st., K.1 [B—K.1]. (155 [B—165] sts.) **

Using No. 10 Needles, work in plain smooth fabric and
in diamond patt. from Chart.



The Chart gives exactly half the design, so on every
row work from right to left of Chart, then back again
from left to right, but **do not repeat centre stitch**. Join
in a separate ball for each diamond and twist wools at
back of work when changing colour.

Work in patt. until 120th [B—120th] row of chart
has been worked. ***

Cast off 10 [B—10] sts. at beg. of next 2 rows.

Next row.—K.2 tog., patt. 64 [B—patt. 69] sts.,
K.2 tog., turn.

Continue in patt. from Chart on first 66 [B—71] sts.,
dec. once at armhole edge in every alt. row five
[B—five] times, whilst at same time dec. once at neck
edge in 3rd [B—3rd] and every following 4th [B—4th]
row three [B—three] times. (58 [B—63] sts.)

Continue dec. once at neck edge only in every following
4th row until 50 [B—55] sts. remain, then in every
following 3rd row until 39 [B—42] sts. remain.

Continue in patt. without shaping until 217th row of
Chart has been worked.

Shape shoulder as follows:—

1st row.—Work to last 13 [B—14] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 26 [B—28] sts., turn.

5th row.—As 2nd row. Cast off.

Join in wool where sts. were left and work to correspond
with other side, omitting K.2 tog. at centre front.

THE BACK—Work as given for Front to **.

Using No. 10 Needles and D.C. throughout, proceed as follows:—

1st row.—Knit.

2nd row.—Purl.

Rep. 1st and 2nd rows until work measures same as Front to underarm. ****

Cast off 10 [B—10] sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 123 [B—133] sts. remain.

Continue in plain smooth fabric without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 13 [B—14] sts., turn.

3rd and 4th rows.—Work to last 26 [B—28] sts., turn.

5th and 6th rows.—Work to last 39 [B—42] sts., turn.

7th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles and D.C., cast on 74 [B—74] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row until work measures 3 [B—3] ins. from commencement, inc. once at end of needle in last row.

Using No. 10 Needles and D.C. throughout, proceed as follows:—

1st row.—Knit.

2nd row.—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 6th row until there are 125 [B—125] sts. on needle.

Continue in plain smooth fabric without shaping until side edge measures 20 ins. (or length desired) from commencement, ending with a purl row.

Cast off 3 [B—3] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 65 [B—65] sts. remain, then at each end of every row until 33 [B—33] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 12 Needles and D.C., knit up 91 [B—91] sts. evenly along left side of neck (knitting up last st. from centre front), 90 [B—90] sts. along right side of neck and 45 [B—49] sts. across back of neck. (226 [B—230] sts.)

1st row.—* K.1, P.1, rep. from * to end of row.

Work 11 rows in rib, dec. once at each side of centre point of "V" in every row and keeping centre st. plain on right side of work. Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Finally, press all seams.

THE PULLOVER WITHOUT SLEEVES:

THE FRONT—Work as given for Pullover with Sleeves to ***.

Cast off 13 [B—13] sts. at beg. of next 2 rows.

Next row.—K.2 tog., patt. 61 [B—patt. 66] sts., K.2 tog., turn.

Continue in patt. on first 63 [B—68] sts., dec. once at armhole edge in every alt. row five [B—five] times, whilst at same time dec. once at neck edge in 2nd and every following 4th row twice. (55 [B—60] sts.)


[Continued on next page]

Sizes A and B With Sleeves

Sizes A and B
Without Sleeves

A B A B

218



"WILSON" (continued from page 11)

Continue dec. at neck edge only in every following 4th row until 46 [B—51] sts. remain, then in every following 3rd row until 36 [B—39] sts. remain. Continue in patt. without shaping until 217th row of Chart has been worked.

Shape shoulder as follows:—

1st row.—Work to last 12 [B—13] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 24 [B—26] sts., turn.

5th row.—As 2nd row. Cast off.

Join in wool where sts. were left and work to correspond with other side, omitting K.2 tog. at centre front.

THE BACK—Work as given for Back of Pullover with Sleeves to ****.

Cast off 13 [B—13] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 117 [B—127] sts. remain.

Continue in plain smooth fabric without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 12 [B—13] sts., turn.

3rd and 4th rows.—Work to last 24 [B—26] sts., turn.

5th and 6th rows.—Work to last 36 [B—39] sts., turn.

7th row.—Work to end of row. Cast off.

THE NECKBAND—Work as given for Pullover with Sleeves.

THE ARMHOLE BANDS—Using a flat seam for ribbing and a fine back stitch seam, sew up left shoulder seam.

With right side of work facing and using No. 12 Needles and D.C., knit up 180 [B—180] sts. evenly round armhole.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row eleven times. Cast off in rib.

Work other Armhole Band in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side seams. Finally, press all seams.

"AMUNDSEN" (continued from page 8)

Dec. once at each end of needle in next and every alt. row until 128 [B—137] [C—146] sts. remain. **** Work 1 row without shaping.

Next row.—Work 62 [B—67] [C—71] sts. in patt., K.2 tog., turn.

Continue in patt. on these 63 [B—68] [C—72] sts., dec. once at neck edge in every following 4th row until 41 [B—46] [C—48] sts. remain.

Work 4 [B—4] [C—6] rows without shaping.

Shape shoulder as given for Pullover with Sleeves.

Join in wool at neck edge and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front in Size B only.

THE BACK—Work as given for Front to ****.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as given for Pullover with Sleeves.

THE NECKBAND—Work as given for Pullover with Sleeves.

THE ARMHOLE BANDS—Using a flat seam for ribbing and a fine back-stitch seam, sew up left shoulder seams.

With right side of work facing and using No. 12 Needles, knit up 182 [B—182] [C—194] sts. evenly round armhole.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row nine times. Cast off loosely in rib.

Work other Armhole Band in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams sew up side, left shoulder and sleeve seams. Sew in sleeves placing seams to side seams.

For Pullover without Sleeves—Sew up side seams. Finally, press all seams.

**SOME IMPORTANT INFORMATION**

Avoid disappointment—buy the wool recommended. Buy wisely—buy enough—the same blend cannot be repeated.



HOW TO CHECK YOUR TENSION: Before you commence knitting, check your tension carefully—on this depends the success of the finished article. Take the wool and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. Lightly press work. Check the tension by placing an inch tape across the stitches, count the exact number of stitches to one inch and compare with the tension

given in the instructions. All tensions are measured over plain smooth fabric, lightly pressed. If your tension is too loose, try a size finer needle. If your tension is too tight, try a size coarser needle. If there is more than one size of needle recommended in the recipe and you alter the needles to obtain the correct tension in plain smooth fabric, corresponding alterations must be made to the needles throughout the instructions.

ABBREVIATIONS

K. = Knit
P. = Purl
sts. = stitches
ins. = inches
wl. fwd. = wool forward
p.s.s.o. = pass slip stitch over
w.o.n. = wool over needle

w.r.n. = wool round needle
t.b.l. = through the back of the loop
tog. = together
beg. = beginning
inc. = increase
dec. = decrease

alt. = alternate
rep. = repeat
patt. = pattern
incl. = inclusive
Garter Stitch = every row plain
ch. = chain
s.c. = single crochet

d.c. = double crochet
tr. = treble
h. tr. = half treble
l. tr. = long treble (wool over hook twice)
sl. st. = slip stitch
sp. = space
w.o.h. = wool over hook

When the instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

Mawson

IN TWO SIZES

PATONS DOUBLE QUICK KNITTING USED DOUBLE

ALL PURE WOOL

Size A, To fit 36 inch chest, 38 balls

Size B, To fit 40 inch chest, 45 balls

Length from top of shoulder—

Size A, 23½ ins. Size B, 25½ ins.

Length of sleeve seam—

Both Sizes, 20 ins. (or length desired).

Patons Beehive Knitting Needles, 1 pair each (12-inch) Nos. 5 and 7, 1 set of four No. 7, measured on a Beehive Needle Gauge.

Two Stitch Holders.

ABBREVIATIONS: See page 12.

TENSION: To get these measurements it is absolutely necessary to work at a tension, using Double Wool, to produce 4 stitches to the inch in width, measured over plain smooth fabric. Check tension—see page 12.

WASHING

As this design uses a substantial weight of wool, special care in washing and drying is essential if it is to keep its shape. Surplus water should be removed as quickly and thoroughly as possible (a light wringer is permissible); while the garment is wet it should be continually supported and should on no account be hung up to dry.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE FRONT—Using No. 7 Needles and Double Wool, cast on 84 [B—92] stitches.

Work in K.1, P.1 rib for 4 ins., inc. once at end of needle in last row. (85 [B—93] sts.)

Using No. 5 Needles, proceed as follows:—

1st row.—* K.2, P.2, rep. from * to last st., K.1.

Rep. 1st row until work measures 15 [B—17] ins. from commencement, finishing so that right side of work will be facing when working next row.

Proceed as follows:—

1st row.—Cast off 2 sts., P.1, * K.2, P.2, rep. from * to last st., K.1.

2nd row.—Cast off 2 sts., P.1, * K.2, P.2, rep. from * to last 3 sts., K.1, P.2, (2 sts. in plain smooth fabric up side of raglan).

3rd row.—K.2, K.2 tog. t.b.l., P.2, * K.2, P.2, rep. from * to last 7 sts., K.2, P.1, K.2 tog., K.2.

4th row.—P.2, K.1, P.2, * K.2, P.2, rep. from * to last 2 sts., P.2.

5th row.—K.2, K.2 tog. t.b.l., P.1, * K.2, P.2, rep. from * to last 6 sts., K.2, K.2 tog., K.2.

6th row.—P.2, * P.2, K.2, rep. from * to last 3 sts., P.3.

Continue dec. in this manner in next and every alt. row until 33 [B—41] sts. remain. **

Next row.—P.2, * K.2, P.2, rep. from * to last 3 sts., K.1, P.2.

Next row.—K.2, K.2 tog. t.b.l., patt. 7 [B—11] sts., patt. 11 sts., leave these 11 sts. on a stitch holder, work in patt. to last 4 sts., K.2 tog., K.2.

Next row.—P.2, work in patt. to end of row.

Proceed as follows:—

1st row.—K.2 tog., work in patt. to last 4 sts., K.2 tog., K.2.

2nd row.—P.2, work in patt. to end of row.


Rep. 1st and 2nd rows twice [B—three times], (4 [B—6] sts.).

Work 6 [B—4] rows, dec. once at neck edge in next row in size A only. Cast off.

Join in wool at neck edge and proceed as follows:—

1st row.—Work in patt. to last 2 sts., P.2.

2nd row.—K.2, K.2 tog. t.b.l., work in patt. to last 2 sts., K.2 tog.



3rd row.—Work in patt. to last 2 sts., P.2.

Rep. 2nd and 3rd rows twice [B—three times], (4 [B—6] sts.)

Work 6 [B—4] rows, dec. once at neck edge in next row in size A only. Cast off.

THE BACK—Work as given for Front to **.

Continue dec. as before in every alt. row until 25 [B—31] sts. remain.

Work 6 [B—4] rows without shaping.

Next row.—Cast off 3 [B—6] sts., patt. 19 sts., leave these sts. on a stitch holder, cast off remaining 3 [B—6] sts.

THE SLEEVES (Both Sizes)—Using No. 7 Needles and Double Wool, cast on 46 stitches.

Work in K.1, P.1 rib for 3 ins.

Next row (wrong side of work).—Rib 3, (inc. once in next st., rib 3) ten times, inc. once in next st., rib to end of row. (57 sts.)

Using No. 5 Needles, proceed as follows:—

1st row.—* K.2, P.2, rep. from * to last st., K.1.

Rep. 1st row three times.

Keeping continuity of patt., inc. once at each end of needle in next and every following 6th row until there are 71 sts. on needle, then in every following 4th row until there are 87 sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing so that right side of work will be facing when working next row.

Proceed as follows:—

1st and 2nd rows.—Cast off 2 sts., work in patt. to end of row.

3rd row.—K.2 tog., work in patt. to last 2 sts., K.2 tog.

4th row.—Work in patt.

5th-16th rows.—Rep. 3rd and 4th rows six times. (69 sts.)

Next row.—K.2 tog., patt. 32 sts., cast off 1 st., patt. 32 sts., K.2 tog.

Proceed on first group of 33 sts. as follows:—

1st and 3rd rows.—Work in patt.

2nd row.—Patt. 31 sts., K.2 tog.

4th row.—K.2 tog., work in patt. to last 2 sts., K.2 tog. Continue dec. in this manner until 3 sts. remain.

Work 1 row.

Next row.—K.1 K.2 tog.

Next row.—P.2.

Next row.—K.2 tog. Fasten off.

Join in wool to remaining sts. and work to correspond with other side, working shapings at opposite ends of needle.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back stitch seam sew up 3 [B—6] cast-off sts. of Back and Front.

With right side of work facing using set of four No. 7 Needles and Double Wool, knit up 76 sts. evenly round neck, including sts. from stitch holders.

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round five times.

Using a No. 5 Needle, cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam sew up sleeve tops. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves placing seams to side seams. Finally, press all seams.

Wilkins

IN THREE SIZES — WITH ROUND OR "V" NECK — ILLUSTRATED OPPOSITE

PATONS BEEHIVE AZALEA KNITTING and CROCHET WOOL

ALL PURE WOOL

Size A	35 inch chest	Main Colour, 8 balls.	Contrast, 6 balls
Size B	38 inch chest	Main Colour, 9 balls.	Contrast, 7 balls
Size C	41 inch chest	Main Colour, 10 balls.	Contrast, 8 balls

If desiring to have bands machine knitted, extra wool in Main Colour will be required.

Length from top of shoulder—Size A . . 23½ ins. Size B . . 24½ ins. Size C . . 25½ ins.

Length of sleeve seam—All Sizes 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 10 and 12; 1 set of four No. 12, measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 12. M. = Main Colour. C. = Contrast.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width, measured over plain smooth fabric. Check tension—see page 12.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...].

THE PULLOVER WITH ROUND NECK:

THE FRONT—Using No. 12 Needles and M., cast on 142 [B—154] [C—166] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row forty-two times.

44th row.—Rib 6 [B—K.1] [C—rib 7], inc. once in next st., * rib 12 [B—rib 14] [C—rib 14], inc. once in next st., rep. from * to last 5 [B—2] [C—8] sts., rib to end of row. (153 [B—165] [C—177] sts.)

"WILKINS"

See opposite page

Patons Beehive Azalea

Size A, 35 inch, 14 balls

Size B, 38 inch, 16 balls

Size C, 41 inch, 18 balls

Using No. 10 Needles, proceed as follows:—

**** 1st row.**—Using C., K.1, * slip 1 purlways, K.1, rep. from * to end of row.

2nd row.—Knit.

3rd row.—Using M., * slip 1 purlways, K.1, rep. from * to last st., slip 1.

4th row.—Knit. **

Rep. from ** to ** until work measures 15 [B—16] [C—17] ins. from commencement, finishing at end of 4th row of patt.

Keeping continuity of patt., cast off 8 sts. at beg. of next 2 rows. ***

Dec. once at each end of needle in next and every alt. row until 125 [B—135] [C—145] sts. remain. ****

Work 89 rows in patt. without shaping.

Next row.—Work 46 [B—50] [C—54] sts. in patt., cast off 33 [B—35] [C—37] sts., work in patt. to end of row.

Continue on these 46 [B—50] [C—54] sts., dec. once at neck edge in every alt. row until 39 [B—43] [C—47] sts. remain.

Work 16 [B—20] [C—24] rows without shaping.

Shape shoulder as follows:—

Cast off 10 [B—11] [C—12] sts. at beg. of next row and every alt. row twice, then 9 [B—10] [C—11] sts. at beg. of following alt. row once. Fasten off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to ****. Continue in patt. without shaping until armholes measure same as front armholes.

Shape shoulders as follow:—

Cast off 10 [B—11] [C—12] sts. at beg. of next 6 rows, then 9 [B—10] [C—11] sts. at beg. of next 2 rows. Cast off.


THE SLEEVES—Using No. 12 Needles and M., cast on 76 [B—80] [C—84] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-two times.

34th row.—K.2 [B—rib 4] [C—rib 6], * inc. once in next st., rib 8, rep. from * to last 2 [B—4] [C—6] sts., inc. once in next st., K.1 [B—rib 3] [C—rib 5]. (85 [B—89] [C—93] sts.)

Using No. 10 Needles, work in patt. as given from ** to ** for Front once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 10th row until there are 127 [B—135] [C—143] sts. on needle.



Continue in patt. without shaping until side edge measures 20 ins. (or length desired) from commencement. Cast off 3 [B—4] [C—5] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 39 [B—43] [C—47] sts. remain.

Work 1 row. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing, and using set of four No. 12 Needles and M., knit up 146 [B—150] [C—158] sts. evenly round neck.

1st round.—* K.1, P.1, rep. from * to end of round. Rep. 1st round nine times.

Cast off loosely in rib.

THE PULLOVER WITH "V" NECK:

THE FRONT—Work exactly as given for Pullover with Round Neck to ***. (137 [B—149] [C—161] sts.) Next row.—K.2 tog., patt. 65 [B—71] [C—77] sts., K.2 tog., turn.

Continue on these 67 [B—73] [C—79] sts., dec. once at beg. of needle in every alt. row five [B—six] [C—seven] times, whilst at same time dec. once at neck edge in every 6th row once [B—twice] [C—twice]. (61 [B—65] [C—70] sts.)

Continue dec. once at neck edge only in 2nd [B—6th] [C—4th] row, then in every following 6th row until 42 [B—47] [C—52] sts. remain, then in every following 4th row until 39 [B—43] [C—47] sts. remain.

Work 1 row without shaping.

Shape shoulder as follows:—

Cast off 10 [B—11] [C—12] sts. at beg. of next row and every alt. row twice, then 9 [B—10] [C—11] sts. at beg. of following alt. row once. Fasten off.

Join in wool at neck edge and work on remaining sts. to correspond with other side omitting K.2 tog. at centre front.

THE BACK AND SLEEVES—Work exactly as given for Pullover with Round Neck.

THE NECKBAND—Using a fine back-stitch seam, sew up right shoulder seams.

With right side of work facing, using No. 12 Needles

and M., knit up 71 [B—73] [C—75] sts. evenly along left side of neck, (knitting up last st. from centre front) 70 [B—72] [C—74] sts. along right side of neck and 45 [B—47] [C—49] sts. across back of neck. (186 [B—192] [C—198] sts.)

1st row.—* K.1, P.1, rep. from * to end of row.

Work 9 rows in rib, dec. once at each side of centre point of "V" in every row and keeping centre st. plain on right side of work. Cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves placing seams to side seams. Finally, press all seams.

Franklin

IN THREE SIZES — ILLUSTRATED OPPOSITE

PATONS BEEHIVE FINGERING, 4-Ply PATONISED (SHRINK-RESISTANT)

ALL PURE WOOL

Size A. 35 inch chest, 16 balls. Size B. 38 inch chest, 17 balls. Size C. 41 inch chest, 18 balls

Length from top of shoulder—Size A .. 24 ins. Size B .. 25 ins. Size C .. 25½ ins.

Length of sleeve seam—All Sizes .. 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

Four Stitch Holders. Eight Medium Beutron Buttons.

ABBREVIATIONS: See page 12.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width, measured over plain smooth fabric. Check tension—see page 12.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...].

THE POCKETS—Using No. 10 Needles, cast on 31 stitches.

1st row.—Knit.

2nd row.—Purl.

Rep. 1st and 2nd rows until work measures 4 ins., finishing with a purl row.

Break off wool, leave these sts. on a stitch holder.

Work another Pocket in same manner.

THE RIGHT FRONT—Using No. 12 Needles, cast on 70 [B—76] [C—82] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row fifteen times.

Using No. 10 Needles, proceed as follows:—

**** 1st row.**—* K.1, P.2, rep. from * to last st., K.1.

2nd row.—* P.1, K.2, rep. from * to last st., P.1.

3rd and 4th rows.—As 1st and 2nd rows.

5th row.—Knit.

6th row.—Purl. **

Continue in patt. as given from ** to ** until work measures 5½ ins. from commencement, finishing so that right side of work will be facing when working next row.

Next row.—Patt. 21 sts., slip next 31 sts. on to a stitch holder and leave, slip pocket sts. on to left-hand needle right side of work facing, work in patt. across these sts. and work in patt. to end of row.

Continue in patt. until work measures 15½ [B—16½] [C—16½] ins. from commencement, finishing so that right side of work will be facing when working next row.

Next row.—Work 2 tog., work in patt. to end of row.

Next row.—Cast off 7 [B—9] [C—11] sts., work in patt. to end of row.

Keeping continuity of patt., dec. once at armhole edge in next and every alt. row six times, whilst at same time dec. once at neck edge in 3rd row and every following 4th row twice. (52 [B—56] [C—60] sts.)

Continue dec. once at neck edge only in 2nd and every following 4th row until 35 [B—38] [C—40] sts. remain.

Continue without shaping until work measures 8½ [B—8½] [C—9] ins. from beg. of armhole shaping, finishing at neck edge.

Shape shoulder as follows:—

1st row.—Work to last 12 [B—13] [C—13] sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 24 [B—26] [C—26] sts., turn.

4th row.—As 2nd row. Cast off.

THE LEFT FRONT—Work to correspond with Right Front, working shapings at opposite ends of needle, the row on which pocket is placed being as follows:—

"FRANKLIN"

See opposite page

Patt. 18 [B—patt. 24]
[C—patt. 30] sts., slip
next 31 sts. on to a stitch
holder and leave, slip
pocket sts. on to left hand
needle right side of work
facing, work in patt.
across these sts. and work
in patt. to end of row.

THE BACK—Using No.
12 Needles, cast on 144
[B—156] [C—168] stitches.

1st row.—* K.1, P.1, rep. from * to
end of row.

Rep. 1st row fifteen times, inc. once at
end of needle in last row.

Using No. 10 Needles, proceed in patt.
as given from ** to ** for Right Front
until work measures same as Fronts to
armhole shaping.

Cast off 7 [B—9] [C—11] sts. at
beg. of next 2 rows, then dec. once at
each end of needle in next and every
alt. row until 117 [B—125] [C—133]
sts. remain.

Continue without shaping until arm-
holes measure same as front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 12
[B—13] [C—13] sts., turn.

3rd and 4th rows.—Work to last 24
[B—26] [C—26] sts., turn.

5th and 6th rows.—Work to last 35
[B—38] [C—40] sts., turn.

7th row.—Work to end of row. Cast
off.

THE SLEEVES—Using No. 12 Needles,
cast on 72 [B—72] [C—78] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row thirty-five times, inc. once at end of needle
in last row.

Using No. 10 Needles, proceed in patt. as given from
** to ** for Right Front once.

Keeping continuity of patt. inc. once at each end of
needle in next and every following 8th row until there
are 105 [B—109] [C—115] sts. on needle.

Continue without shaping until side edge measures
20 ins. (or length desired) from commencement.

Cast off 6 [B—7] [C—8] sts. at beg. of next 2 rows,
then dec. once at each end of needle in next and every
alt. row until 27 [B—29] [C—29] sts. remain.

Work 1 row. Cast off.

Work another Sleeve in same manner.

THE FRONT BAND—Using No. 12 Needles, cast on
11 stitches.

1st row.—(Right side of work) K.2, (P.1, K.1) four
times, K.1.

2nd row.—(K.1, P.1) five times, K.1.

Rep. 1st and 2nd rows once.

5th row.—K.2, P.1, K.1, cast off 3 sts., K.1, P.1, K.2.

Patons
Beehive
4-Ply

Size A,
35 inch,
16 balls

Size B,
38 inch,
17 balls

Size C,
41 inch,
18 balls



6th row.—(K.1, P.1) twice, cast on 3 sts., (P.1, K.1)
twice.

Continue in rib, making a buttonhole as before in 21st
and 22nd rows from previous buttonhole until 8 button-
holes have been completed.

Continue without further buttonholes until band mea-
sures required length (slightly stretched) to fit along
fronts and across back of neck. Cast off in rib.

THE POCKET TOPS—Slip 31 sts. from stitch holder
on to a No. 12 Needle, right side of work facing and
proceed in rib as follows:—

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows once. Cast off loosely in rib.

Work other Pocket Top in same manner.

TO MAKE UP—With a slightly damp cloth and warm
iron, press lightly. Using a flat seam for ribbing and
a fine back-stitch seam for other seams, sew up side,
shoulder and sleeve seams. Sew in sleeves placing seams
to side seams. Sew pockets in position on wrong side
of work, and pocket tops on right side of work. Using
a fine back-stitch seam, sew front band in position.
Sew on buttons to correspond with buttonholes. Finally,
press all seams.

Evans

IN TWO SIZES
ALSO ILLUSTRATED ON BACK COVER

PATONS DOUBLE QUICK KNITTING

ALL PURE WOOL

Size A. 37 inch chest—

Main Colour 18 balls

Contrasting Colour 5 balls

Size B. 40 inch chest—

Main Colour 21 balls

Contrasting Colour 5 balls

If desiring to have band machine knitted, extra wool of Contrasting Colour will be required.

Length from top of shoulder—

Size A 24 ins. Size B 25 ins.

Length of sleeve seam—

Both Sizes 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 8 and 10, measured on a Beehive Needle Gauge.

Four Stitch Holders.

One 22-inch "Lightning" Open-end Slide Fastener.

ABBREVIATIONS: See page 12. 0 = No stitches.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 12.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE POCKETS (Both Sizes)—Using No. 8 Needles and Main Colour, cast on 25 stitches.

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—Knit.

Rep. these 2 rows until work measures 3 ins. from commencement, finishing at end of a 2nd row. Break off wool. Leave these sts. on a stitch holder.

Work another Pocket in same manner.

THE RIGHT FRONT—Using No. 10 Needles and Contrasting Colour, cast on 41 [B—45] stitches.

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—* P.1, K.1, rep. from * to last st., P.1.

Rep. these 2 rows until work measures 3½ ins. finishing at end of a 1st row.

Next row.—Rib 3 [B—rib 5], (inc. once in next st., rib 2) eleven times, inc. once in next st., rib to end of row. (53 [B—57] sts.)

Break off Contrasting Colour.

Using No. 8 Needles and Main Colour, proceed as follows:—

1st and 2nd rows.—Knit.

3rd row.—* K.1, P.1, rep. from * to last st., K.1.

4th row.—Knit.



Rep. 3rd and 4th rows until work measures 6½ ins. from commencement, finishing so that right side of work will be facing when working next row.

Next row.—Patt. 14 [B—patt. 16] sts., slip next 25 sts. on to a stitch holder, with right side of work facing slip 25 pocket sts. on to left-hand needle, patt. across these sts., patt. 14 [B—patt. 16] sts.

Continue in patt. until work measures 16 [B—16½] ins. from commencement, finishing so that wrong side of work will be facing when working next row.

Cast off 9 [B—10] sts. at beg. of next row, then dec. once at armhole edge in every row until 35 [B—38] sts. remain.

Continue without shaping until work measures 4½ ins. from beg. of armhole shaping, finishing so that right side of work will be facing when working next row.

Break off Main Colour, join in Contrasting Colour, and proceed as follows:—

1st, 2nd and 3rd rows.—Knit.

4th row.—Purl.

Continue in plain smooth fabric until work measures 6½ ins. from beg. of armhole shaping.

Dec. once at neck edge in every row until 28 [B—30] sts. remain.

Continue without shaping until work measures 8½ [B—9] ins. from beg. of armhole shaping, finishing at neck edge.

Shape shoulder as follows:—

- 1st row.**—Work to last 9 [B—10] sts., turn.
2nd row.—Work to end of row.
3rd row.—Work to last 18 [B—20] sts., turn.
4th row.—As 2nd row. Cast off.

THE LEFT FRONT—Work as given for Right Front, working shapings at opposite ends of needle, noting that 1 row less will be worked before shaping armhole, i.e. right side of work will be facing when working next row.

THE BACK—Using No. 10 Needles, and Contrasting Colour, cast on 99 [B—107] stitches.

- 1st row.**—* K.1, P.1, rep. from * to last st., K.1.
2nd row.—* P.1, K.1, rep. from * to last st., P.1.
 Rep. these 2 rows until work measures $3\frac{1}{2}$ ins., finishing at end of a 1st row.

Next row.—Rib 7 [B—rib 11], (inc. once in next st., rib 3) twenty-one times, inc. once in next st., rib to end of row. (121 [B—129] sts.)

Break off Contrasting Colour.

Using No. 8 Needles and Main Colour, proceed as follows:—

- 1st and 2nd rows.**—Knit.
3rd row.—* K.1, P.1, rep. from * to last st., K.1.
4th row.—Knit.
 Rep. 3rd and 4th rows until work measures 16 [B—16 $\frac{1}{2}$] ins. from commencement, finishing so that right side of work will be facing when working next row.
 Cast off 9 [B—10] sts. at beg. of next 2 rows, then dec. once at each end of needle in every row until 85 [B—91] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

- 1st and 2nd rows.**—Work to last 9 [B—10] sts., turn.
3rd and 4th rows.—Work to last 18 [B—20] sts., turn.
5th and 6th rows.—Work to last 28 [B—30] sts., turn.
7th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 10 Needles and Contrasting Colour, cast on 49 [B—53] stitches.

- 1st row.**—* K.1, P.1, rep. from * to last st., K.1.
2nd row.—* P.1, K.1, rep. from * to last st., P.1.
 Rep. these 2 rows until work measures $3\frac{1}{2}$ ins., finishing at end of a 1st row.

Next row.—0 [B—rib 2], (inc. once in next st., rib 3) twelve times, inc. once in last st. [B—inc. once in next st., rib to end of row]. (62 [B—66] sts.)

Break off Contrasting Colour.

Using No. 8 Needles and Main Colour, proceed as follows:—

- 1st and 2nd rows.**—Knit.
**** 3rd row.**—* K.1, P.1, rep. from * to end of row.
4th row.—Knit. **

Keeping continuity of patt. as given from ** to **, inc. once at each end of needle in next and every following 6th row until there are 94 [B—98] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement.

Cast off 3 [B—4] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 56 [B—48] sts. remain, then in every row until 24 [B—24] sts. remain. Cast off.

Work another Sleeve in same manner.

THE FRONT BANDS—With right side of Right Front facing, using No. 10 Needles and Contrasting Colour, knit up 108 [B—112] sts. along front edge, from lower edge of rib to beg. of neck shaping.

- 1st and 2nd rows.**—Knit.
3rd row.—K.1, purl to last st., K.1.
4th row.—Knit.
5th and 6th rows.—As 3rd and 4th rows.
7th and 8th rows.—Knit. Cast off knitways.
 Work Left Front Band to correspond.

THE POCKET TOPS—Slip 25 pocket sts. from stitch holder on to a No. 10 Needle, with right side of work facing and using Contrasting Colour, proceed as follows:

- 1st and 2nd rows.**—Knit.
3rd row.—Knit. **4th row.**—Purl.
 Continue in plain smooth fabric for $2\frac{1}{2}$ ins. Cast off.
 Work other Pocket Top in same manner.

THE COLLAR—Using a fine back-stitch seam sew up shoulder seams.

With right side of work facing, using No. 10 Needles and Main Colour, knit up 80 [B—86] sts. evenly round neck, including Front Bands.

- 1st row.**—Purl.
2nd row.—K.2, inc. once in next st., knit to last 4 sts., inc. once in next st., K.3.
3rd row.—Purl.
 Rep. 2nd and 3rd rows twelve times. (106 [B—112] sts.)
28th row.—K.2, slip 1, K.1, p.s.s.o., knit to last 4 sts., K.2 tog., K.2.
29th row.—Purl.
 Rep. 28th and 29th rows twelve times. (80 [B—86] sts.) Cast off.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seams to side seams. Turn Pocket Tops in half and sew in position on wrong side of work. Stitch ends of Pocket Tops to right side of work. Sew Pockets in position on wrong side of work. Fold Collar in half (right side of work inside) using a fine back-stitch seam, sew up ends. Fold Collar to right side of work and sew cast-off edge to neck edge. Sew slide fastener in position. Finally, press all seams.



Wholly Set Up and Printed in Australia
 Published with All Rights Reserved by

PATONS & BALDWIN'S (AUSTRALIA) LIMITED

REG. OFFICE: 84-94 FLINDERS LANE, MELBOURNE, C.1 • N.S.W. BRANCH: CHURCH AVE., MASCOT

Patons
KNITTING
BOOK
No. 468

No.
468



Page 18

2/-

P&B
WOOLS